



Yako Hardware Manufacturer Co.,Ltd



Add: No.898 Middle Jiangmen Avenue Industrial Park, Jiangmen, Guangdong, China

Tel: 0086-750-3278683 Mobile:0086-13702586619

E-mail:suki@yako-hw.com, Contact:Suki Chan web: www.yako-hw.com



Zinc alloy invisible hinges

Dimension(mm)	YZH-008ZA-01	YZH-008ZA-02	YZH-008ZA-03	YZH-008ZA-04	YZH-008ZA-05	YZH-008ZA-06	YZH-008ZA-07	YZH-008ZA-08
								
	13*45mm	12*60mm	16*70mm	19*95mm	25*117mm	28*118*22 mm , two holes	34*138mm	28*118m*25 mm ,single hole
A	13	12	16	19	25	28	34	28
B	45	60	70	95	117	118	138	118
C	9	9	11	13	18	22	27	25
D	19	30	34	51.2	64	61.5	74	61.5
E	0.8	0.8	0.8	1.2	1.6	1.4	1.6	1.4
F	18	18	22.5	27	36	41	51	44
G	5	6	7	9	11.5	9.5	11.5	12
H	30.5	47	51	73	90	outside hole:93,inner hole: 87	outside hole:113.5,inner hole:102.5	90
For door thickness	20mm	20mm	25mm	30mm	35mm	40mm	50mm	40mm
Net weight of each hinge	55g	85g	160g	310g	650g	785g	1400g	800g
weight support /each hinge	5kg	10kg	15kg	25kg	30kg	40kg	50kg	25kg





stainless steel invisible hinges

	YZH-008SS-1	YZH-008SS-2	YZH-008SS-3	YZH-008SS-4	YZH-008SS-5	YZH-008SS-6	YZH-008SS-7
Dimension(mm)							
	34*140*28mm	28*118*22	25*118*18mm	19*95*13mm	16*70*11mm	28*118*22mm	25*118*18mm
A	34	28	25	19	16	28	25
B	139.5	118	118	95	70	118	118
C	27.5	22	18	13	11	22	18
D	74.5	61.5	65.3	52.5	34	61.5	65.3
E	1.6	1.4	1	1.2	0.8	1.4	1
F	51	41	363.5	27	22.5	41	36.5
G	11.5	9.5	11.3	9	7.4	9.5	11.3
H	outside hole:113.5,inner hole:102.5	outside hole:93,inner hole: 88	90.5	73	51	outside hole:93,inner hole: 88	90.5
For door thickness	50mm	40mm	35mm	30mm	25mm	40mm	35mm
Net weight of each hinge	1450g	885g	665g	375g	160g	885g	665g
weight support /each hinge	50kg	40kg	30kg	25kg	15kg	40kg	30kg



Zinc alloy spring invisible hinges				stainless steel spring invisible hinges		
Dimension(mm)	YZH-008ZA-09	YZH-008ZA-10	YZH-008ZA-11	YZH-008SS-8	YZH-008SS-9	YZH-008SS-10
						
	25*118*18mm	28*118*22mm	19*95*13mm	28*118*22mm	25*118*18mm	19*95*13mm
A	25	28	19	28	25	19
B	118	118	95	118	118	95
C	18	22	13	22	18	13
D	64	61.5	51.2	61.5	65.3	52.5
E	1.6	1.4	1.3	1.4	1	1.2
F	36	4.1	27	41	36.5	27
G	11.5	9.5	9	9.5	11.3	9
H	90	outside hole:93,inner hole:87	73	outside hole:93,inner hole: 88	90.5	73
For door thickness	35mm	40mm	30mm	40mm	35mm	30mm
Net weight of each hinge	630g	1090g	276g	1140g	635g	341g
weight support /each hinge	30kg	40kg	25kg	40kg	30kg	25kg



3D adjustable hinge

YZH-009ZA

30*110mm

adjustable range

up&down $\pm 1.5\text{mm}$

left and right $\pm 1\text{mm}$

front and back $\pm 1\text{mm}$

open angle 180°

Material Zinc alloy


finish SCP/SNP/AB/A
C

maximum
weight support
of three hinges 60KG

minimum door
thickness 40mm

maximum door
width 1000mm

if height of door is over
2100mm,each door need 4
hinges




TOP
↑
BOTTOM

+1.5mm

up & down
↑
↓

-1.5mm




left & right

+1.0mm

← →

-1.0mm








-1.0mm

back & forth
↑
↓



+1.0mm

YZH-009ZA	
23*95mm	
adjustable range	
up&down	±1mm
left and right	±1mm
front and back	±1mm
open angle	180°
Material	Zinc alloy
finish	SCP/SNP/AB /AC
maximum weight support of three hinges	45KG
minimum door thickness	35mm
maximum door width	1000mm
if height of door is over 2100mm,each door need 4 hinges	





YZH-010SS	
28*160mm	
adjustable range	
up&down	±3mm
left and right	±3mm
front and back	±1mm
open angle	180°
Material	stainless steel
finish	SCP/SNP/AB /AC
maximum weight support of two hinges	120KG
minimum door thickness	40mm
maximum door width	1000mm
if height of door is over 2100mm,each door need 3 hinges	

with cover





YZH-010ZA	
28*160mm	
adjustable range	
up&down	±3mm
left and right	±3mm
front and back	±1mm
open angle	180°
Material	zinc alloy
finish	SCP/SNP/AB /AC
maximum weight support of two hinges	80KG
minimum door thickness	40mm
maximum door width	1000mm
if height of door is over 2100mm,each door need 3 hinges	

with cover





YZH-011ZA	
29*135*140mm	
adjustable range	
up&down	±3mm
left and right	±3mm
front and back	±1mm
open angle	180°
Material	zinc alloy
finish	SCP/SNP/AB /AC
maximum weight support of two hinges	60KG
minimum door thickness	40mm
maximum door width	1000mm
if height of door is over 2100mm,each door need 4 hinges	


with cover




YZH-012SS	
34*237*mm	
adjustable range	
up&down	±3mm
left and right	±3mm
front and back	±1mm
open angle	180°
Material	Stainless Steel
finish	SSS/AB/AC
maximum weight support of two hinges	200KG
minimum door thickness	50mm
maximum door width	1000mm
if height of door is over 2100mm,each door need 3 hinges	





YZH-013ZA	
25*150mm	
adjustable range	
up&down	±1mm
left and right	±1mm
front and back	±1mm
open angle	180°
Material	Zinc alloy
finish	BLK/SIL/SN/ CP
maximum weight support of two hinges	40KG
minimum door thickness	38mm
maximum door width	1000mm
if height of door is over 2100mm,each door need 4 hinges	






YZH-013ZA	
28*177mm	
adjustable range	
up&down	±1mm
left and right	±1mm
front and back	±1mm
open angle	180°
Material	Zinc alloy
finish	BLK/SIL/SN/CP
maximum weight support of two hinges	80KG
minimum door thickness	40mm
maximum door width	1000mm
if height of door is over 2100mm,each door need 4 hinges	




YZH-014	
110x30mm	
adjustable range	
up&down	±3mm
left and right	±1.5mm
front and back	±1.5mm
open angle	180°
Material	Zinc alloy
finish	BLK/SIL/SN/CP
maximum weight support of two hinges	60KG
minimum door thickness	40mm
maximum door width	1000mm
if height of door is over 2100mm,each door need 4 hinges	




YZH-015	
140x30mm	
adjustable range	
up&down	±2.5mm
left and right	±5mm
front and back	±1mm
open angle	180°
Material	Zinc alloy
finish	BLK/SIL/SN/ CP
maximum weight support of two hinges	60KG
minimum door thickness	40mm
maximum door width	1000mm
if height of door is over 2100mm,each door need 4 hinges	




YZH-016	
176.5x32.5mm	
adjustable range	
up&down	±3mm
front and back	±3mm
open angle	120°
Material	Zinc alloy
finish	BLK/SIL/SN/CP
maximum weight support of two hinges	80KG
minimum door thickness	40mm
maximum door width	1000mm
if height of door is over 2100mm,each door need 4 hinges	




YZH-016	
191.5x35.5mm	
adjustable range	
up&down	±3mm
front and back	±1mm
open angle	120°
Material	Zinc alloy
finish	BLK/SIL/SN/CP
maximum weight support of two hinges	120KG
minimum door thickness	45mm
maximum door width	1400mm
if height of door is over 2100mm,each door need 4 hinges	




YZH-017-35	
120x23mm	
adjustable range	
up&down	±2mm
left and right	±1mm
front and back	±2.5mm
open angle	180°
Material	Zinc alloy
finish	BLK/SIL/SN/ CP
maximum weight support of two hinges	35KG
minimum door thickness	35mm
maximum door width	900mm
if height of door is over 2100mm,each door need 4 hinges	





YZH-017-50	
130x30mm	
adjustable range	
up&down	±2mm
left and right	±1.5mm
front and back	±2.5mm
open angle	180°
Material	Zinc alloy
finish	BLK/SIL/SN/CP
maximum weight support of two hinges	50KG
minimum door thickness	40mm
maximum door width	1000mm
if height of door is over 2100mm,each door need 4 hinges	




YZH-018	
230x51mm	
adjustable range	
up&down	±2.5mm
left and right	±5mm
front and back	±1mm
open angle	180°
Material	Stainless Steel
finish	SSS/AB/AC
maximum weight support of two hinges	300KG
minimum door thickness	65mm
maximum door width	1000mm
if height of door is over 2100mm,each door need 4 hinges	





YZH-019-60	
140x30mm	
adjustable range	
up&down	±1.5mm
left and right	±1.5mm
front and back	±2mm
open angle	180°
Material	Zinc alloy+aluminium alloy
finish	BLK/SIL/SN/CP
maximum weight support of two hinges	60KG
minimum door thickness	40mm
maximum door width	1000mm
if height of door is over 2100mm,each door need 4 hinges	





YZH-019-100	
165x32mm	
adjustable range	
up&down	±2mm
left and right	±1.5mm
front and back	±2.5mm
open angle	180°
Material	Zinc alloy+aluminium alloy
finish	BLK/SIL/SN/CP
maximum weight support of two hinges	100KG
minimum door thickness	40mm
maximum door width	1200mm
if height of door is over 2100mm,each door need 4 hinges	





YZH-020	
200x32mm	
adjustable range	
up&down	±2mm
left and right	±2mm
open angle	180°
Material	Zinc alloy+aluminium alloy
finish	BLK/SIL/SN/CP
maximum weight support of two hinges	100KG
minimum door thickness	38mm
maximum door width	1200mm
if height of door is over 2100mm,each door need 4 hinges	




YZH-021	
190x34x32mm	
adjustable range	
up&down	±3mm
left and right	±1.5mm
front and back	±1mm
open angle	180°
Material	Zinc alloy+aluminium alloy
finish	BLK/SIL/SN/CP
maximum weight support of two hinges	100KG
minimum door thickness	40mm
maximum door width	1200mm
if height of door is over 2100mm,each door need 4 hinges	



YZH-022	
135x28mm	
adjustable range	
up&down	±2.5mm
left and right	±2mm
front and back	±1mm
open angle	180°
Material	Zinc alloy+aluminium alloy
finish	BLK/SIL/SN/CP
maximum weight support of two hinges	60KG
minimum door thickness	38mm
maximum door width	1000mm
if height of door is over 2100mm,each door need 4 hinges	






YZH-023	
165x30mm	
adjustable range	
up&down	±2mm
left and right	±3mm
front and back	±1mm
open angle	180°
Material	Zinc alloy+aluminium alloy
finish	BLK/SIL/SN/CP
maximum weight support of two hinges	80KG
minimum door thickness	40mm
maximum door width	1000mm
if height of door is over 2100mm,each door need 4 hinges	



Soft Close

YZH-025	
194x30mm	
open angle	180°
Material	Zinc alloy
finish	Black/Gray/ Silver/Gold/ Green Bronze/Red Bronze
maximum weight support of two hinges	70KG
minimum door thickness	38mm
maximum door width	50mm
if height of door is over 2100mm,each door need 4 hinges	
According to the customer's demand for the speed of closing the door, simply rotate and adjust It left and right according to the arrow Indicator on the hinge	



Soft Close

YZH-025-50	
177x28mm	
open angle	180°
Material	Zinc alloy
finish	Black/Gray/ Silver/Gold/ Green Bronze/Red Bronze
maximum weight support of two hinges	50KG
minimum door thickness	35mm
if height of door is over 2100mm,each door need 4 hinges	
According to the customer's demand for the speed of closing the door, simply rotate and adjust It left and right according to the arrow Indicator on the hinge	

